

Claims

- 1 1. Method for recognizing speech, comprising the steps of
- receiving a speech phrase;
 - generating a signal being representative to said speech phrase;
 - pre-processing and storing said signal with respect to a determined set of
- 5 rules;
- generating from said pre-processed signal at least one series of hypothesis speech elements;
 - determining at least one series of words being most probable to correspond to said speech phrase by
- 10 - applying a predefined language model to at least said series of hypothesis speech elements,
- wherein the step of determining said series of words further comprises the steps of:
- at first determining at least one sub-word, word or a combination of words
- 15 most probably being contained as a seed sub-phrase in said received speech phrase:
- then continuing determining words or combinations of words and which are consistent with said seed sub-phrase as at least a first successive sub-phrase which is contained in said received speech phrase by using and evaluating ad-
- 20 ditional and paired and/or higher order information between the sub-phrases, thereby decreasing the burden of searching.
2. Method according to claim 1, **characterized in that** a predefined language model is applied to at least said series of hypothesis speech elements to
- 25 obtain said seed sub-phrase and said additional and paired and/or higher order information is obtained from said language model.
3. Method according to ~~any of the preceding claims~~, **characterized in that**
- 30 as additional information within that language model semantic and/or pragmatic information or the like between the sub-phrases is used.
4. Method according to ~~any of the preceding claims~~, **characterized in that** additional information within said language model is used being descriptive for the prepositional relationship of the sub-phrases.

09734228.121100

- 1 5. Method according to ~~any of the preceding claims~~, **characterized in that** additional information within that language model is used being descriptive for pairs, triples and/or higher order n-tuples of sub-phrases.
- 5 6. Method according to ~~any of the preceding claims~~, **characterized in that** a language model is used containing at least a recognition grammar built up by at least a low-perplexity part and a high-perplexity part, each of which being representative for distinct low- and high-perplexity classes of speech elements.
- 10 7. Method according to claim 6, **characterized in that** word classes are used as classes for speech elements or fragments.
8. Method according to ~~any preceding claims~~, **characterized in that** a language model is used containing a low-perplexity recognition grammar being obtained from a conventional recognition grammar by
- 15 - identifying and extracting word classes of high-perplexity from the conventional grammar,
- generating a phonetic, phonemic and/or syllabic description of the high-perplexity word classes, in particular by applying a sub-word-unit grammar compiler to them, to produce a sub-word-unit grammar for each high-perplexity
- 20 word class and
- merging the sub-word-unit grammars with the remaining low-perplexity part of the conventional grammar to yield said low-perplexity recognition grammar.
- 25 9. Method according to ~~any of the preceding claims~~, **characterized in that** a hypothetic graph is generated for the received speech phrase including the generated sub-phrases and/or their combinations as candidates for the recognized speech phrase and
- that additional information between the sub-phrases is used to constrain and
- 30 to restrict the search for the most probable candidate within the graph.
10. Method according to claim 9, **characterized in that** during the search candidate sub-phrases or sub-words from the high-perplexity word classes are inserted into the hypothesis graph, whereby the sub-word unit grammars for
- 35 the high-perplexity word classes are used as constraints as well as the respective additional semantic and/or pragmatic information.

09734228 121100

1 11. Method according to claim 10, **characterized in that** according to the constraints candidates are deleted from the hypothesis graph until an unbranched resulting graph is generated, corresponding to the most probable phrase.

5 12. Method according to ~~any of the preceding claims~~, **characterized in that** the vocabulary - in particular of said language model - applicable for the remaining parts of the speech phrase besides the seed sub-phrase is restricted at least for one remaining part, so as to decrease the burden of search.

10

15

20

25

30

35

00734228-121100